


# PRODUCT SUBMITTAL

## Mortar Net® with Insect Barrier

### DESCRIPTION

#### MORTAR NET® WITH INSECT BARRIER

For traditional brick masonry cavity-wall construction. Made of tough polyester mesh (2") and nylon (0.4" & 1"), its patented trapezoidal shape captures mortar droppings on two levels so they can't form a solid dam. In addition, its 90% open-weave mesh lets water flow, unobstructed, to weep holes and lets air circulate freely within the cavity.



### SHORT FORM SPEC

Provide polyester mesh (2") and nylon (0.4" & 1") trapezoidal configuration to maintain airflow and drainage while suspending mortar droppings at unequal heights. Provide one or more thicknesses as required to fill cavity width. Install per manufacturer's instructions.

Product: Subject to compliance with requirements, provide "Mortar Net® with Insect Barrier" by Mortar Net® USA, Ltd.

### MANUFACTURER

#### Mortar Net® USA, Ltd.

326 Melton Road, Burns Harbor, IN 46304  
 Telephone: (800)664-6638 Fax: (219)787-5088  
 Email: info@mortarnet.com Website: www.MortarNet.com

*Specifier Note: The Mortar Net® with Insect Barrier is manufactured of polyester mesh (2") and nylon (0.4" & 1"), fabricated in a 90% open mesh, 2", 1" or 0.4" (51, 25.4, or 10.2 mm) thick. It has no negative reaction to PVC, polyethylene, polystyrenes, copper, lead, rubberized asphalt, or stainless steel, and will not degrade or decompose over the life of the building. It will not absorb or trap moisture and water, and is treated with an antimicrobial and will not support mold or fungus. The Mortar Net® is patented, US Patent Reissue #36676 and Patent Pending.*

### SUBSTITUTIONS

No substitutions permitted.

- Mortar Net® with Insect Barrier: MN 10-0.4: 10" (254 mm) high x 0.4" (10.2 mm) thick material.
- Mortar Net® with Insect Barrier: 10-1: 10" (254 mm) high x 1" (25.4 mm) thick material.
- Mortar Net® with Insect Barrier: MN 10-2: 10" (254 mm) high x 2" (51 mm) thick material.

DATE: \_\_\_\_\_

PROJECT: \_\_\_\_\_

FIRM: \_\_\_\_\_ PHONE: \_\_\_\_\_

APPROVAL: \_\_\_\_\_ DATE: \_\_\_\_\_

GENERAL CONTRACTOR: \_\_\_\_\_

BID DATE: \_\_\_\_\_

COMMENTS: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_